| L Number | Hits | Search Text | DB | Time stamp |
|-------------|------|--|---|---------------------|
| 13 | 5249 | (399/8, 399/10, 705/28).ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/08/13 14:09 |
| 14 | 6147 | (submit\$5 send\$5 transmit\$5) with (bill\$5 total\$5 charg\$5 amount\$5) same (earl\$5 date\$5 holiday\$5) | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/08/13 14:10 |
| 15 | 61 | ((399/8, 399/10, 705/28).ccls.) and ((submit\$5 send\$5 transmit\$5) with (bill\$5 total\$5 charg\$5 amount\$5) same (earl\$5 date\$5 holiday\$5)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/08/13 14:10 |
| _ | 0 | (network\$5 with printer\$5) same (usage\$5 near2 data\$5) same (calculat\$5 total\$5 charg\$5) same (holiday\$5) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/03/03 17:00 |
| _ | 9 | (("5270775") or ("5216461") or ("5631724")).PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/03/03 |
| _ | 15 | (network\$5 with printer\$5) same (bill\$5 charg\$5) same (count\$5) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/03/03 17:09 |
| _ | 7 | ((network\$5 with printer\$5) same (bill\$5 charg\$5) same (count\$5)) and @ad<19990909 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/03/03 17:09 |
| - | 13 | 5270775.URPN. | USPAT | 2004/03/03 |
| _ | 125 | <pre>(network\$5 with (printer\$5 copy\$5 near2 machin\$5 fax\$5 facsmil\$5)) same (bill\$5 charg\$5 amount\$5) same (count\$5 total\$5)</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/03/03 17:36 |
| - | 10 | <pre>((network\$5 with (printer\$5 copy\$5 near2 machin\$5 fax\$5 facsmil\$5)) same (bill\$5 charg\$5 amount\$5) same (count\$5 total\$5)) and ((submit\$5 send\$5 transmit\$5) with (bill\$5 total\$5 charg\$5 amount\$5) same (earl\$5 date\$5 holiday\$5))</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 |
| _ | 8 | <pre>(((network\$5 with (printer\$5 copy\$5 near2 machin\$5 fax\$5 facsmil\$5)) same (bill\$5 charg\$5 amount\$5) same (count\$5 total\$5)) and ((submit\$5 send\$5 transmit\$5) with (bill\$5 total\$5 charg\$5 amount\$5) same (earl\$5 date\$5 holiday\$5))) and @ad<19990909</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 17:41 |
| _ | 1 | l Talana and a language and a langua | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 17:46 |
| - | 0 | (bill\$5 same holiday\$5) same (printer\$5 copy\$5 near2 machin\$5 fax\$5 facsimil\$5) same (total\$5 sum\$5) not ((bill\$5 with holiday\$5) same (printer\$5 copy\$5 near2 machin\$5 fax\$5 facsimil\$5) same (total\$5 sum\$5)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 17:46 |

| - | 20 | (prohibit\$5 inhibit\$5 prevent\$5) with | USPAT; | 2004/03/04 |
|-----|-------|---|------------------------|------------|
| | | (send\$5 transmit\$5) same (usag\$4 near2 data\$5) | US-PGPUB; | 16:16 |
| | | data\$3) | EPO; JPO; DERWENT; | |
| | | | IBM TDB | |
| - | 9 | | USPAT; | 2004/03/04 |
| | İ | (send\$5 transmit\$5) same (usag\$4 near2 | US-PGPUB; | 16:17 |
| | | data\$5)) and @ad<19990909 | EPO; JPO; | |
| | | | DERWENT; IBM TDB | |
| _ | 0 | ((prohibit\$5 inhibit\$5 prevent\$5) same | USPAT; | 2004/03/04 |
| | _ | (send\$5 transmit\$5) same (network\$5 with | US-PGPUB; | 16:23 |
| | | printer\$5) same (usag\$5)) and | EPO; JPO; | |
| | • | @ad<19990909 | DERWENT; | |
| | , | (hibitof inhibitof managed (F) | IBM_TDB | 2004/03/04 |
| - | 3 | (prohibit\$5 inhibit\$5 prevent\$5) same (send\$5 transmit\$5) same (network\$5 with | USPAT; US-PGPUB; | 16:17 |
| | | printer\$5) same (usag\$5) | EPO; JPO; | 10.17 |
| | | P==================================== | DERWENT; | |
| | | | IBM_TDB | |
| . – | 1971 | (prohibit\$5 inhibit\$5 prevent\$5) same | USPAT; | 2004/03/04 |
| | | (send\$5 transmit\$5) same (printer\$5 | US-PGPUB; | 16:19 |
| | | copy\$5 near2 machin\$5 fax\$5 facsimil\$5) same (number\$5 usag\$5 near2 data\$5 | EPO; JPO; DERWENT; | |
| | 1 | information\$5 data\$5) and @ad<19990909 | IBM TDB | |
| - | 609 | (prohibit\$5 inhibit\$5 prevent\$5) same | USPAT; | 2004/03/04 |
| | | (send\$5 transmit\$5) same (printer\$5 | US-PGPUB; | 16:19 |
| | | copy\$5 near2 machin\$5 fax\$5 facsimil\$5) | EPO; JPO; | |
| | | same (number\$5 usag\$5 near2 data\$5) and @ad<19990909 | DERWENT; IBM TDB | |
| _ | 5337 | | USPAT; | 2004/03/04 |
| | 3337 | 364/403).ccls. | US-PGPUB; | 16:52 |
| | | · • | EPO; JPO; | |
| 1 | | | DERWENT; | |
| | 140 | (| IBM_TDB | 2004/03/04 |
| - | 142 | (prohibit\$5 inhibit\$5 prevent\$5) same (send\$5 transmit\$5) same (printer\$5 | USPAT; US-PGPUB; | 16:21 |
| | | copy\$5 near2 machin\$5 fax\$5 facsimil\$5) | EPO; JPO; | 10.21 |
| | | same (number\$5 usag\$5 near2 data\$5 | DERWENT; | |
| | | information\$5 data\$5) same (charg\$5 | IBM_TDB | |
| | 200 | collect\$5 calculat\$5) and @ad<19990909 | HCDAM. | 2004/02/04 |
| - | 209 | (network\$5 with (printer\$5 copy\$5 near2 machin\$5 fax\$5 facsimil\$5)) same (bill\$5 | USPAT; US-PGPUB; | 2004/03/04 |
| | | charg\$5) and L | EPO; JPO; | 10.25 |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| _ | 41 | (prohibit\$5 inhibit\$5 prevent\$5) with | USPAT; | 2004/03/04 |
| | | (send\$5 transmit\$5) same (printer\$5 copy\$5 near2 machin\$5 fax\$5 facsimi1\$5) | US-PGPUB; EPO; JPO; | 16:28 |
| | | same (number\$5 usag\$5 near2 data\$5 | DERWENT; | |
| İ | | information\$5 data\$5) same (charg\$5 | IBM TDB | |
| | | collect\$5 calculat\$5) and @ad<19990909 | _ | |
| - | . 129 | | USPAT; | 2004/03/04 |
| | | machin\$5 fax\$5 facsimil\$5)) same (bill\$5 | US-PGPUB; | 16:23 |
| | | charg\$5) and L) and @ad<19990909 | EPO; JPO; DERWENT; | |
| | | | IBM TDB | |
| - | 7 | (prohibit\$5 inhibit\$5 prevent\$5) with | USPAT; | 2004/03/04 |
| | | (send\$5 transmit\$5) same (printer\$5 | US-PGPUB; | 16:32 |
| | 1 | copy\$5 near2 machin\$5 fax\$5 facsimil\$5) | EPO; JPO; | |
| | | same (usag\$5) and @ad<19990909 | DERWENT; IBM TDB | |
| - | 1616 | (prohibit\$5 inhibit\$5 prevent\$5) with | USPAT; | 2004/03/04 |
| | | (send\$5 transmit\$5) same (printer\$5 | US-PGPUB; | 16:32 |
| | | copy\$5 near2 machin\$5 fax\$5 facsimil\$5) | EPO; JPO; | |
| | | and @ad<19990909 | DERWENT; | |
| _ | 467 | (prohibit\$5 inhibit\$5 prevent\$5) with | IBM_TDB USPAT; | 2004/03/04 |
| | 40/ | (send\$5 transmit\$5) with (printer\$5 | US-PGPUB; | 16:34 |
| | | copy\$5 near2 machin\$5 fax\$5 facsimil\$5) | EPO; JPO; | |
| | | same (data\$5) and @ad<19990909 | DERWENT; | |
| | | | IBM_TDB | |

| - | 466 | ((prohibit\$5 inhibit\$5 prevent\$5) with | USPAT; | 2004/03/04 |
|---|-----|--|-----------|------------|
| | | (send\$5 transmit\$5) with (printer\$5 | US-PGPUB; | 16:33 |
| | | copy\$5 near2 machin\$5 fax\$5 facsimil\$5) | EPO; JPO; | |
| | | same (data\$5) and @ad<19990909) not | DERWENT; | |
| | | ((prohibit\$5 inhibit\$5 prevent\$5) with | IBM_TDB | |
| | | (send\$5 transmit\$5) same (printer\$5 | | |
| | | copy\$5 near2 machin\$5 fax\$5 facsimil\$5) | | |
| | | same (usag\$5) and @ad<19990909) | | |
| - | 11 | (prohibit\$5 inhibit\$5 prevent\$5) with | USPAT; | 2004/03/04 |
| | | (send\$5 transmit\$5) with (printer\$5 | US-PGPUB; | 16:44 |
| | | copy\$5 near2 machin\$5 fax\$5 facsimil\$5) | EPO; JPO; | |
| | | same (copies\$5 usag\$5 near4 data\$5) and | DERWENT; | |
| | | @ad<19990909 | IBM_TDB | |
| - | 283 | (prohibit\$5 inhibit\$5 prevent\$5) with | USPAT; | 2004/03/04 |
| | | (send\$5 transmit\$5) with (printer\$5 | US-PGPUB; | 16:44 |
| | · | copy\$5 near2 machin\$5 fax\$5 facsimil\$5) | EPO; JPO; | |
| | | same (information\$5) and @ad<19990909 | DERWENT; | Į |
| | | | IBM_TDB | 1 |
| - | 279 | ((prohibit\$5 inhibit\$5 prevent\$5) with | USPAT; | 2004/03/04 |
| | | (send\$5 transmit\$5) with (printer\$5 | US-PGPUB; | 16:44 |
| | | copy\$5 near2 machin\$5 fax\$5 facsimil\$5) | EPO; JPO; | |
| | | same (information\$5) and @ad<19990909) | DERWENT; | |
| | | not ((prohibit\$5 inhibit\$5 prevent\$5) | IBM_TDB | |
| | | with (send\$5 transmit\$5) with (printer\$5 | | |
| | | copy\$5 near2 machin\$5 fax\$5 facsimil\$5) | | İ |
| | | same (copies\$5 usag\$5 near4 data\$5) and | | |
| | | @ad<19990909) | | |
| - | 126 | (prohibit\$5 inhibit\$5 prevent\$5) near6 | USPAT; | 2004/03/04 |
| | | (send\$5 transmit\$5) with (printer\$5 | US-PGPUB; | 16:45 |
| | | copy\$5 near2 machin\$5 fax\$5 facsimil\$5) | EPO; JPO; | |
| | | same (information\$5) and @ad<19990909 | DERWENT; | |
| | | | IBM_TDB | 1 |
| - | 216 | (network\$5 with (printer\$5 copy near2 | USPAT; | 2004/03/04 |
| | | machin\$5 fax\$5 facsimil\$5)) same (bill\$5 | US-PGPUB; | 16:53 |
| | | charg\$5 collect\$5 amount\$5) and | EPO; JPO; | |
| | | ((358/1.15, 355/204, 355/200, 355/202, | DERWENT; | |
| | | 364/403).ccls.) | IBM_TDB | |
| - | 92 | ((network\$5 with (printer\$5 copy near2 | USPAT; | 2004/03/04 |
| | | machin\$5 fax\$5 facsimil\$5)) same (bill\$5 | US-PGPUB; | 16:54 |
| 1 | | charg\$5 collect\$5 amount\$5) and | EPO; JPO; | |
| | | ((358/1.15, 355/204, 355/200, 355/202, | DERWENT; | |
| | | 364/403).ccls.)) and @ad<19990906 | IBM_TDB | |
| - | 92 | ((network\$5 with (printer\$5 copy near2 | USPAT; | 2004/03/04 |
| | | machin\$5 fax\$5 facsimil\$5)) same (bill\$5 | US-PGPUB; | 16:54 |
| 1 | 1 | charg\$5 collect\$5 amount\$5) and | EPO; JPO; | 1 |
| | - | ((358/1.15, 355/204, 355/200, 355/202, | DERWENT; | |
| } | | 364/403).ccls.)) and @ad<19990909 | IBM_TDB | 0004/00/00 |
| - | 0 | (holiday\$5) and (((network\$5 with | USPAT; | 2004/03/04 |
| | [| (printer\$5 copy near2 machin\$5 fax\$5 | US-PGPUB; | 16:54 |
| | 1 | facsimil\$5)) same (bill\$5 charg\$5 | EPO; JPO; | |
| | 1 | collect\$5 amount\$5) and ((358/1.15, | DERWENT; | |
| | | 355/204, 355/200, 355/202, | IBM_TDB | 9 |
| | L. | 364/403).ccls.)) and @ad<19990909) | 1 | |